

FACADE SYSTEMS



# NATURALLY DESIGN

INSPIRED BY NATURE



**BUILDING  
INNOVATIONS**



**LEIPFINGER  
BADER**





# PREFACE


THOMAS BADER, OWNER AND MANAGING DIRECTOR OF LEIPFINGER-BADER GMBH

As part of the LEIPFINGER-BADER Group, we are among the leading manufacturers of building materials and system components for climate-neutral construction. We see ourselves as innovation drivers with a clear focus on ecologically sustainable products and a reliable partner to our customers. Our strong local ties are also reflected in our love on natural raw materials. We have been processing naturally occurring clay for decades. At our location in Weroth (Westerwald), we

extract Europe’s finest clays and process them into a high-end building material using our state-of-the-art production facilities. We are convinced that we must reduce material consumption for environmentally friendly buildings with a healthy indoor climate. Therefore, we attach particular importance to continuous circular economy in everything we do, making us one of the trendsetters in the industry.

# WE THINK NEW PRODUCTS

Whether new construction or renovation, LEIPFINGER-BADER offers integrated system solutions for the sustainable present and future of construction:





CEMENT

70831  
Cement 1



LAYING



HEIGHT | 150 mm to 400 mm  
WIDE | 300 mm to 1.600 mm

70832  
Cement 2



LAYING



HEIGHT | 150 mm to 400 mm  
WIDE | 300 mm to 1.600 mm



**70833**  
Cement 3



LAYING



**HEIGHT** | 150 mm to 400 mm  
**WIDE** | 300 mm to 1.600 mm

**70834**  
Cement 4



LAYING



**HEIGHT** | 150 mm to 400 mm  
**WIDE** | 300 mm to 1.600 mm



OAK

70835  
Oak 1



LAYING



HEIGHT | 150 mm to 400 mm  
WIDE | 300 mm to 1.600 mm

70836  
Oak 2



LAYING



HEIGHT | 150 mm to 400 mm  
WIDE | 300 mm to 1.600 mm



**70837**  
Oak 3



LAYING




**HEIGHT** | 150 mm to 400 mm  
**WIDE** | 300 mm to 1.600 mm

**70838**  
Oak 4



LAYING



**HEIGHT** | 150 mm to 400 mm  
**WIDE** | 300 mm to 1.600 mm




TRAVERTINE

70842  
Travertine 1



LAYING




HEIGHT | 150 mm to 400 mm  
WIDE | 300 mm to 1.600 mm

70843  
Travertine 2



LAYING



HEIGHT | 150 mm to 400 mm  
WIDE | 300 mm to 1.600 mm




PORPHYR

70839  
Porphy 1



LAYING



HEIGHT | 150 mm to 400 mm  
WIDE | 300 mm to 1.600 mm

70840  
Porphy 2



LAYING




HEIGHT | 150 mm to 400 mm  
WIDE | 300 mm to 1.600 mm



**70841**  
Porphy 3



LAYING



**HEIGHT** | 150 mm to 400 mm  
**WIDE** | 300 mm to 1.600 mm



EASILY REMOVE  
GRAFFITI USING A  
SIMPLE CLEANER!

RESISTANCE IN ALL RESPECTS

Its qualities make the TONALITY facade element something of a superhero: impact- and scratch-proof, UV- and frost-resistant, impervious to graffiti, the weather and thermal influences. In short, our products take on any challenge – and lose neither shape nor colour. For us, that's just good form.







# FOUR COLOURS ONE BRILLIANT SIZE

## COLOURS

The ceramic slats are available in four modern design colours and with a plain surface: dark grey, medium grey, light grey and white matt. The colours can also be combined.



**70025**  
black matt



**70005**  
dark grey




**70014**  
medium grey



**70015**  
white matt

## SIZE

Their format and low weight make the slats a perfect choice for use in both solid and wood frame construction. They always stand out with lifelong weather protection, zero maintenance and the combination of design and ecology.



**NEW NOW;**

THE FACADE FOR CARPENTERS, FACADE BUILDERS AND EXPERIENCED DO-IT-YOURSELFERS

## EASY INSTALLATION

The ceramic slats and the aluminium system rail are optimally matched to each other. The slats are secured by a broad locking pin in the profile. The default pre-bent angle can be bent into the desired final position using customary needle-nose pliers. Integrated pressure springs ensure a tension-free, but secure fit of the slats.

## AVAILABILITY

The slats come in four modern colours with a matched substructure and are readily available from specialist retailers as in-stock products. They are suitable for use in both private residential construction and larger surfaces in rental, municipal and commercial buildings.



Albania | Australia | Austria | Belgium | Bosnia and Herzegovina | Bulgaria | Canada | Croatia | Czech Republic  
Denmark | Estonia | Finland | France | Germany | Greece | Hungary | Iran | Ireland | Italy | Kazakhstan | Kosovo  
Latvia | Lithuania | Luxembourg | Macedonia | Montenegro | Netherlands | New Zealand | Norway | Poland  
Russian Federation | Serbia | Slovakia | Slovenia | South Korea | Spain | Sweden | Switzerland | Turkey | United  
Kingdom | USA | Vietnam



A member of the LEIPFINGER-BADER  
corporate group

TONALITY® GmbH  
In der Mark 100  
D-56414 Weroth

Tel. +49 6435 90999-0  
info@tonality.de



[www.tonality.de](http://www.tonality.de)

