



TONALITY®
NATURAL FACADES



TONALITY®
Ceramic Facades.
Building Innovation.

Holistic building.

Whether in new construction or refurbishment,
Leipfing-Bader offers integrated solutions
for sustainable buildings of today and tomorrow.

The Leipfing-Bader system solutions

CLAY BLOCK SYSTEMS

Silvacor, Coriso, Precision brick, Block brick,
Unfired brick, Clay brick, Mortar Pad, Mortar,
Column formwork, Ring beam formwork,
Slab edge element, Roller shutters and venetian blinds

MODULAR CONSTRUCTION

Prefabricated clay block element,
Prefabricated clay component
Clay block module

VENTILATION SYSTEMS

Decentralised ventilation system with heat recovery
Decentralised ventilation exhaust air
Hybrid ventilation system

FLOORING AND HEATING

Screed replacement tile, Screed design tile
Sheet heating system

SLAB SYSTEMS

Timber-earth solid slab
Earthen masonry ceiling with extruded earth blocks
Clay block suspended ceiling

TIMBER CONSTRUCTION

Wooden roller shutters and venetian blinds
Ventilation systems

CLAY AND EARTH CONSTRUCTION

Clay panel
Clay plaster, Clay paint
Prefabricated clay components with rammed earth
Prefabricated components with clay bricks

FACADE SYSTEMS TONALITY®

Refurbishment solutions
Ceramic Facade
Ceramic Slat
Integration with building technology

CRADLE TO CRADLE

Recycling
Brick granules for green roofs

Contents.

BUILDING ON HISTORY

A tradition of innovation	4
---------------------------	---

BUILDING SUSTAINABLE VALUE

Quality through MCS	5
Sustainability at the highest level of safety	7

BUILDING SUSTAINABLE FUTURE

The facade of the future	8
Building, protecting and designing living space	9

BUILDING ADVANTAGES

Advantages	10
The rear-ventilated ceramic facade	12
Two systems for all installation requirements	13

BUILDING TAILORED SOLUTIONS

Every facade is like a tailor-made suit	14
Individuality on the facade	16
Natural privacy and sun protection	18
Inspired by nature	20
Custom-made architecture	22
Dezentrale fassadenintegrierte Lüftung für öffentliche Gebäude	24
Natural design	26

BUILDING REFERENCES

References	28
------------	----

BUILDING ON PERSONALIZED CUSTOMER RELATIONSHIP

Contact	47
---------	----

„Combining natural building materials with future-oriented action and thinking: This is our ambition.“

As part of the LEIPFINGER-BADER Group, we are among the leading manufacturers of building materials and system components for climate-neutral construction. We consider ourselves as innovation drivers with a clear focus on ecologically sustainable products and a reliable partner to our customers.

Our strong local ties are also reflected in our love of natural raw materials. We have been processing naturally occurring clay for decades. At our location in Weroth (Westerwald), we extract Europe's finest clays and process them into a high-end building material using our state-of-the-art production facilities. TONALITY has produced ceramic facade solutions for some of the most architectural significant buildings in the world such as the Wave, Copenhagen, DK.

We are convinced that we must reduce material consumption for environmentally friendly buildings with a healthy indoor climate. Therefore, we attach particular importance to continuous circular economy in everything we do, making us one of the trendsetters in the industry.



- ◀ Owner Thomas Bader has been managing the LEIPFINGER-BADER Group since 2006. The brick factory has developed to become one of the most innovative and future driven system provider in the building industry, especially as a result of the acquisition of TONALITY GmbH and the development of energy-efficient products. „The driving force behind my daily work is to find forward-looking solutions for new construction and refurbishment projects, that make it possible to transform the building industry in the long term“, said Thomas Bader.


Quality through MCS – turning clay into a ceramic element.



01

MICRO-PROCESSING THE CLAY



Our work begins at a very fine level: The first step consists in grinding the clay to a grain size of 64 micrometres (0.064 millimetres). The fireclay used is also ground until it is ultra-fine. Both raw materials are then placed in the press.



02

WORK AT HIGH PRESSURE

With the aid of our vacuum extrusion process, the desired ceramic element is compressed at high pressure. The fine processing of the clay and fireclay in combination with a high applied pressure guarantees a high level of solidity.



03

HOMOGENEOUS DRYING & HOT-GLAZING PROCESS


In the next step, the ceramic elements are dried and glazed. Specially designed roller dryers ensure homogeneous drying. The traditional, digitally controlled hot-glazing process gives the final product the desired surface.



04

SINTERING – NOW THINGS REALLY HEAT UP

Thanks to maximum temperatures of up to 1,200 °C, the ceramic elements can be fired to the point of sintering. The material, which has already been heavily compressed, is compacted even further. All raw materials are fused together.



- ▼ A total of 391 modules form the five- to six-storey administrative building for over 600 people. The backbone of the building complex is formed by a six-storey longitudinal bar that has perpendicular four- to five-storey wings on both sides. This special structure reflects the campus character, which is primarily due to the large amount of space required. At the same time, this floor plan also allows all offices to face outward. **„We were impressed not only by the special design combined with integrated graffiti protection, but also by the great flexibility of the facade system”,** says Jörg Löber, Managing Director of ALHO Systembau GmbH.



ARCHITECT | ALHO Systembau GmbH, Friesenhagen, DE
OBJECT | Agentur für Arbeit, Cologne, DE
PHOTOGRAPHY | Martin Lässig, DE
COLOR | Brick red (natural)
SURFACE | smooth

Sustainability at the highest level of safety.



01

RESISTANT AND ROBUST


UV- and frost-resistant – regardless of weather and thermal influences, such as salty sea air or sandy breezes. Thanks to their outstanding hardness, TONALITY ceramic facades are impact- and scratch-proof – and are characterized by colourfastness and dimensional stability. TONALITY facades require no maintenance and last well over 100 years.



02

FUTURE DRIVEN

100% natural. No use of composite materials, plastics or chemicals. The natural advantages of Westerwald clay are so impressive that there is no need for additives. This is beneficial to both human health and the environment.



REUSE

03

RE-USE AFTER USE


Facade elements including the supporting structure can be used in other projects according to the re-use principle, eliminating additional CO₂ emissions caused by recycling.



04

RESOURCE-EFFICIENT

With our single-layer, lightweight ceramic facades, we need about 20 tonnes less clay and fireclay for a facade surface of 1,000 m². All clays and fireclays come from within a radius of no more than 25 km around our production site, saving valuable resources and energy from raw material extraction and production to transport to the building site.



SINGLE-LAYER AND LIGHTWEIGHT

The facade of **the future.**



30-50%

SAVINGS OF RESOURCES

35–42 kg clay and fireclay are needed for 1 m² TONALITY facade ceramics, whereas conventional double-layer ceramics require 65–85 kg.

56%

LESS CO₂ EMISSIONS

compared to conventional double-layer facade tiles.

30-50%

SAVINGS OF TRANSPORT CAPACITY

A lorry with a load capacity of 24 tonnes can transport 320 m² double ceramics or 620 m² TONALITY ceramics.

48%

LESS ENERGY CONSUMPTION

of non-renewable energy sources compared to conventional double facade tiles.

30-50%

LESS PRIMARY SUBSTRUCTURE

Substantial savings of stainless steel and aluminium (e.g. for wall brackets, screws, support profiles).

Advantages.



01

LOW DEAD WEIGHT THANKS TO SINGLE-LAYER DESIGN

TONALITY facade elements form a single-skin system of uncompromising quality. With a visible profile of about 28 mm, TONALITY facades weigh 38-45 kg/m², being more lightweight than double-layer systems weighing 65 kg/m². This saves resources, reduces the weight considerably and simplifies processing immensely. The lightness of our products is impressive.



02

ECONOMIC ADVANTAGES

The low dead weight of our single-layer facades enables you to save valuable resources and energy from transport to the finished building. This is reflected in both the product weight and the necessary substructure. As a result, TONALITY facades are more economically efficient compared to other conventional systems.



03

QUICK AND EASY INSTALLATION THANKS TO BAS AND ADS

Thanks to our adaptive and base clinch rail systems, facade installation is stress-free and fast. The lightweight aluminium supporting structure does not require a hoist – handling and correct fastening are child's play. This also applies to the subsequent replacement of ceramic elements.



04

SAFETY FOR GENERATIONS

If the worst comes to the worst: Both the substructure and the facade elements withstand the roughest of conditions. As per DIN classification, TONALITY products belong to group A1 – i.e. are non-flammable. Even an earthquake cannot harm the system.



05

PERMANENT GRAFFITI PROTECTION

In terms of characteristics, our TONALITY facade elements have a lot to offer. They are impact- and scratch-proof, UV- and frost-resistant and resistant to graffiti, weather and thermal influences. In other words: Our facade elements rise to every challenge – without losing either shape or colour.



06

LIMITLESS VARIETY OF APPLICATIONS

From top to bottom, from left to right – as you choose: The flexible TONALITY systems can be installed in any direction. They can be used as external facade on new and refurbished buildings, as internal wall facade, as ceiling cladding, around corners, as concave or convex curves, as privacy and sun protection and even for roofs.



07

INDIVIDUALITY IN COLOUR AND SHAPE FOR YOUR DESIGN

TONALITY offers facade elements in various colours and designs, right from the basic product line. However, there are no limits to your individual preferences: Customer requests can easily be realized according to requirements.



08

INVISIBLE AND THEFT-PROOF FASTENING

The TONALITY facade element system impresses not only with easy handling, but also with fastening points that are completely invisible after installation. In addition, the joint widths are freely selectable within a range of 2 to 8 mm.


Advantages of the rear-ventilated **ceramic facade**.



PRINCIPLE OF THE REAR-VENTILATED RAINSCREEN FACADE

The rear-ventilated rainscreen facade design is a highly effective system due to the physical separation of insulation and weather protection functions. Due to the space between the facade cladding and the insulation, air can circulate behind the facade cladding and remove any moisture. In terms of cost-effectiveness, ecology and durability, the rear-ventilated rainscreen facade is gaining in importance as a superior system in new construction and refurbishment. This system can be used for all building types and heights. The rear-ventilated rainscreen facade system helps reduce energy costs and fully complies with the requirements for energy-saving facades. When using adequate insulation thicknesses, the rear-ventilated rainscreen facade can achieve low-energy and passive house standards.

12



- ▲ Rear-ventilated rainscreen facade system: By structurally separating thermal insulation and weather protection, rear-ventilated rainscreen facades provide technical and economic security and a high degree of creative freedom.

Four systems for all installation requirements.

THE FASTENING SYSTEM

The TONALITY® facade system consists of terracotta ceramic facade elements with integral hook profiles on the back that interlock with mated hooked aluminium support rails. This allows for the market's fastest, most accurate, and durable terracotta facade installation. TONALITY® facade elements can be used for both interior and exterior applications and for every building type and height. They can even be used for overhead installation (such as for soffits or ceilings) and for the popular vertical (or portrait) installation. TONALITY® facade elements have all the required technical approvals for panels with thicknesses of both 7/8" and 1". The system allows for long panel spans even with projects with high wind load conditions.

ADS | ADAPTIVE SYSTEM

- A horizontal primary sub-structure that allows for the highest flexibility in vertical joint layout
- Varied design options thanks to multiple panel sizes in various colors and widths
- Adaptable to the structural requirements of your project via the multiple depth options available for our support rails

BAS | BASE CLINCH RAIL SYSTEM

- A vertical primary sub-structure that allows for a particularly time-saving installation
- A low-depth of installation – as little as 1-1/8" deep – a plus especially for facade over-cold projects
- Our support rails and joint profiles are integrated into a single element to ensure a fast and easy installation
- Our support rails and joint profiles are connected using our high-tech RIV-CLINCH technology

VCS | VARIO-CLIP-SYSTEM

- Plug-and-play principle: plug in and you're done
- Consists of support rails with pre-punched attachment points for fixing brackets
- Fixing brackets can be clipped in without screws and rivets at a minimum spacing of only 1"
- Highly flexible for complex designs - adaptable to multiple module heights
- Material reduction and simplified installation


VEM | VERTICAL ELEMENT INSTALLATION

- Substructure specially developed for vertical (portrait) installation
- Large span widths of the support profiles enable savings to be made on brackets
- Almost every detail of a vertically oriented facade panel can be solved using this system
- Allows for cantilevering of the panels at the top, bottom, or corners of the building
- Very quick installation sequence
- Each panel can be inspected or removed individually and non-destructively at any point


Every facade is like a tailor-made suit.

CREATIVE DIVERSITY WITHOUT BOUNDS

Your project is unique – and the TONALITY ceramic facade readily conforms. Thanks to modern manufacturing processes and seamless logistics, we are able to react quickly and precisely to your requirements. If you require colours, surface finishes or textures outside the standard range, these will be produced individually for your project. This way, facades can be planned and implemented exactly according to your specifications, just like a tailor-made suit – without any compromises.



▲ The Wave, Vejle, DK



▲ Viewstar, Richmond, BC, CAN

▼ CUSTOMISED DESIGNS


TONALITY ceramic facades can be produced with millimetre accuracy in dimensions from 300 x 150 mm to 1,600 x 400 mm. And in all variants in between. In combination with the varied standard surface finishes such as smooth, grooved or with pilaster strips, there are even more possibilities per square metre.



Individuality on the facade.

SURFACE FINISH VARIETY

On the surface, more than just a facade. In addition to the wide range of colours and designs, we are experts for surface finish design. And thanks to the TONALITY sinter firing process, the ceramic elements receive an even, smooth and dense surface. Choose from a variety of standard surface finishes or discuss your specific design with us. Whether a standard or a special solution, everything at TONALITY has structure.



Feel free to contact us for your individual facade solution on:
+49 6435 90999-0

DESIGN COLLECTION

When unlimited creativity is reflected in design, something unique is created. Because it is often the impressions and colours that are to be preserved for eternity while also reflecting the planner's ideas. We bring your inspiration to life and give the facade the design for your project to be.



glatt, Cement4



glatt, Oak1



glatt, Travertin1



glatt, Porphy1



glatt, Cement1



glatt, Oak3



glatt, Travertin2



glatt, Porphy2



glatt, Cement3



glatt, Oak2



glatt, Porphy3



glatt, Cement2



glatt, Oak4

NATURE COLLECTION & COLOUR COLLECTION


Discover further colour options in our colour brochure „Inspired by nature“.

www.tonality.de


Natural privacy and sun protection.

The most natural way to integrate privacy and sun protection into a facade. No matter whether you are using Lamella, Baguette or Square elements: The ceramic TONALITY privacy and sun protection elements ideally complement the facade tile range and blend harmoniously into the overall facade design as a design element combined with metal, ceramics, glass or plaster. They can be installed either horizontally or vertically, providing both discretion and a pleasant indoor climate in the building through active sun protection.


18



Lamella 260



Baguette 150



Square 40 / 50 / 70

The TONALITY® products Lamella, Baguette and Square are available in all colours.





ARCHITECT | Cobe, Kopenhagen, DK

OBJECT | Forfatterhuset Kindergarten, Kopenhagen, DK

PHOTOGRAPHY | Adam Mørk, Kopenhagen, DK

COLOR | 4 SonderColorn in Ziegelrot (natur)

SURFACE | glatt



COLOR | GR4
SURFACE | Random grooved


Inspired by nature.

TONALITY® products are remarkably diverse: Choose from more than 50 immediately available colours and designs for your project. The spectrum ranges from subtle to eye-catching and is modelled on breathtaking examples out of nature – permanently colourfast and UV-resistant, of course.

And if you are looking for customised products, we will be happy to offer you individual solutions.

Discover our colour collections on our website.
Here you can also order our colour brochure.
www.tonality.de

- ▼ The undulating ceiling above the bathing area of the Paracelsus Bad has a unique appeal. It consists of hundreds of TONALITY ceramic elements, which were developed and customised especially for this new building and cover an area of about 980 square metres.




ARCHITECT | Berger+Parkkinen Architekten, Wien, AT
OBJECT | Paracelous Bad Kurhaus, Salzburg, AT
PHOTOGRAPHY | Christian Richters
COLOR | Weiß matt
SURFACE | glatt



Custom-made architecture.

The unlimited application possibilities of TONALITY ceramics combine architectural ideas with extraordinary design in many respects. Building structures can be clad completely either from top to bottom or from the outside to the inside. Special ceiling designs, elegant curves or individual installation options do not represent a challenge with regard to the variety of implementation possibilities. Thanks to the one-of-a-kind product quality, TONALITY ceramic facades are impact- and scratch-proof and resistant to moss formation, salt and any influences from air. The uniquely designed wall elements, which are also suited to capture works of art, also benefit from the lifelong protective layer that makes the facade immune to graffiti or vandalism.





01
Wall and insulation

02
TONALITY® Substructure


03
Weather protection hood

04
Ceramic facade elements

05
Protective grille

06
Sunshade

07
**Decentralised ventilation unit
with heat recovery**



Facade-integrated decentralised air handling unit for public buildings.

In refurbishment projects, the integration of ventilation technology is often an economic and technical challenge. Decentralised ventilation systems offer an efficient solution here, as unlike centralised systems, they require almost no ventilation ducting. The units utilise the Coanda effect to optimise the air distribution in the rooms. The ventilation output can be adapted to the actual room usage automatically via air quality sensors as required.

The air flow is generated by quiet and energy efficient EC motors. The customisable facades from TONALITY® allow unlimited design freedom and even conceal the air inlets and outlets.



COLOR | Design Collection, Porphyre 1
SURFACE | smooth

Natural design.

Our proof that a ceramic element does not have to look like a ceramic element: The TONALITY® design collection brings the “wow!” to facade construction – featuring modern designs in fascinating colours. Protected throughout by surfaces hardened using the MCS process. Inspired by nature.

Discover the design lines Oak, Travertin, Cement and Porphyry in exciting colour schemes. UV-resistant, extremely robust and in the usual high TONALITY® quality.

Discover our colour collections on our website.
Here you can also order our colour brochure.
www.tonality.de

ARCHITECT | BHBVT, Architekten mbH, DE

OBJECT | Medical campus of the University of Augsburg, DE

PHOTOGRAPHY | Rainer Taepper, DE

COLOR | Nature, White glossy | Color, OK2 | Nature, Copper red

SURFACE | smooth





Living accents.

A building that shows that buildings with innovative facade design go far beyond pure functionality. Ceramic squares, which are mounted like floating accents in front of the glass front, look like a filigree house of cards that gives the building a soul. A unique dynamic that not only creates visual depth, but also a harmonious interplay of light and shadow that emphasizes the aesthetics of the building at every level.

ARCHITECT | PLH Arkitekter, DK
OBJECT | Marmormolen, Copenhagen, DK
PHOTOGRAPHY | Kontraframe ApS, DK
COLOR | Nature, White matt
SURFACE | Montano light





Lasting elegance.

The Marmormolen office building in Copenhagen combines sustainable architecture with functional aesthetics. Awarded DGNB Gold certification, it reflects the commitment to environmental awareness. The facade, panelled with Montano light – white, is characterised by its discreet but striking profiling in a vertical assembly. It emphasises the subtle texture of the building and underlines its modern architecture.



- ▲ Fascinating from up close, impressively striking from a distance: The light effects of the interplay between baguette facade and ceramic elements.



ARCHITECT | WZMH Architects & Urbacon, CA
OBJECT | Office Data Centre, Toronto, Ontario, CA
PHOTOGRAPHY | Engineered Assemblies Inc., CA
COLOR | Toscana
SURFACE | smooth

33

Big data on the facade.

Architecture thrives on the unusual combination of familiar materials, shapes and colours. As is the case with the „Data Centre“ in Toronto. What at first appears to be an unusual mix of TONALITY facade elements and Baguette tiles reveals itself on closer inspection to be a homage to the early computer punched card technology, a precursor of today's barcodes. This makes it one of the most innovative buildings in Canada far beyond the city limits. The combination of our facade ceramics and the architect's idea resulted in a unique synthesis.



- ▲ The anthracite-coloured building presents itself as a gracious eye-catcher amidst the Nordic surroundings. It combines timeless elegance and straightforward architecture to create a unique masterpiece.




35

ARCHITECT | Spacelab Architects, Copenhagen, DK
OBJECT | Dahl Anwaltskanzlei, Viborg, DK
COLOR | Anthracite
SURFACE | smooth

Homogeneous envelope.

The corporate headquarters of one of Denmark's largest law firms in Viborg presents itself with simple elegance. Designed by Spacefab, the building boasts a sculptural body with a bright atrium as its centrepiece. Its facade conveys the architecture's purist approach: Anthracite-coloured ceramic panels wrap around the building like a homogeneous envelope and – in combination with the slender window openings and the vertically installed ceramic elements – ensure a uniform overall appearance. With its focus on light, openness, functionality and flexibility, the building fulfils the essential requirements of a modern workplace.





ARCHITECT | Sadar+Vuga, SL
OBJECT | Residential building ELIPSE, Ljubljana, SL
PHOTOGRAPHY | Ana Skobe, SL
COLOR | Special colour grey unglazed
SURFACE | Single pilaster stripe

37

Shaped in a natural environment.

The ELIPSE residential building is an architectural response to the diverse spatial conditions of its location. With its elliptical shape and dual character, it blends harmoniously into its surroundings. The adaptation of the room height to the neighbouring buildings and the strategic positioning along the inner-city ring road create a unique connection to the surroundings. The building offers 64 flats on eight storeys, which are characterised by their adaptability to the needs of the residents. The elliptical structure allows for a variety of flat types while creating communal spaces on each level. The ELIPSE residential building thus combines innovative architecture with functional elegance and creates an inviting living space for its residents.



◀ The most natural way to integrate privacy and sun protection into a facade.


ARCHITECT | Cobe, Copenhagen, DK
OBJECT | Forfatterhuset Kindergarten, Copenhagen, DK
PHOTOGRAPHY | Adam Mørk, Copenhagen, DK
COLOR | 4 special colours in Brick red (natural)
SURFACE | smooth



39

To see and not be seen.

No matter whether you are using Lamella, Baguette or Square elements: They all blend harmoniously into the overall facade design as a solitary design element combined with metal, ceramics, glass or plaster, providing both privacy and a pleasant indoor climate in the building through active sun protection. Available in numerous dimensions and colours, these elements make it possible to realise impressive architectural design concepts both on external facades and inside buildings. Whether installed as privacy or sun protection, they are real eye-catchers either way.



- ▲ Public institutions and buildings are constantly exposed to all kinds of influences. This challenging environment requires superior quality.



Stylish and fortified in Down Under.

In railway stations, such as the Toowong Train Station in Australia, TONALITY ceramic facades can fully demonstrate their much-appreciated qualities. Bold colours and flexible installation options ensure an individual, stylish and clean look. The glazed surface provides lasting, reliable protection against soiling and graffiti. A dream come true for public buildings and their managers – all over the world.



- ◀ The four buildings wrapped in ceramic facades match the natural earth tones of the surrounding area. The soft curves of the facade reflect the wide meander of the adjacent river.



ARCHITECT | Turner Architects, AU
OBJECT | Sanctuary, Wentworth Point NSW, AU
PHOTOGRAPHY | Tom Ferguson Photography
COLOR | Light red, Anthracite, Kimura-Beige
SURFACE | Glossy

43

Urban lightness.

Surrounded by the stunning landscape of Australia's Newington Nature Reserve, the sprawling residential project Sanctuary by Sekisui House presents a harmonious blend of Japanese design principles and Australian identity. Built on the banks of the Parramatta River, the urban structure covers all the needs of daily life, combining multi-storey apartment buildings with retail and office space. An exciting interplay of ceramic panels in natural earth tones and anthracite-coloured steel reinforced concrete elements characterises the exterior design of the multifunctional buildings. Vertical clay louvres and floor-to-ceiling glass windows lend the facades their light appearance.

ARCHITECT | PLH Arkitekter A/S, København, DK
OBJECT | Velliv Office, Ballerup, DK
PHOTOGRAPHY | Thorbjørn Hansen, København, DK
COLOR | Nature, White glossy
SURFACE | Plain




White – in its purest form.

The timelessly elegant office building in Denmark stands out with its distinctive shape and unpretentious interior design. In keeping with the motto „hard shell, soft core“, the high-contrast object blends perfectly into Ballerup’s cityscape. The design radiates openness and simplicity, supporting the employees’ need for exchange of knowledge and individuality.



The baguettes in glossy white not only give the building a unique appearance, but also an incomparable robustness. TONALITY ceramic facades are impact- and scratch-proof, UV- and frost-resistant and fortified against graffiti, weather and thermal influences, making them perfect for the rough conditions a facade needs to withstand every day. ▲





ARCHITECT | Glück & Partner GmbH, Stuttgart, DE
OBJECT | Town hall, Oftringen, DE
PHOTOGRAPHY | Magdalena Türtscher, buero-magma.com, DE
COLOR | Nature, Creme
SURFACE | Single pilaster stripe

We advise you comprehensively and holistically.

TONALITY offers comprehensive consulting services for building professionals, focussing on QNG certification and energy consulting.

The offer includes the development of customised solutions, support with planning and cost estimation as well as assistance in applying for state subsidies.

With a strong focus on sustainability and energy efficiency, TONALITY® is positioning itself as an innovative partner that is helping to shape the building of tomorrow with its expertise and product innovations. TONALITY® offers not only advice, but also practical support to facilitate the realisation of energy-efficient and environmentally friendly projects.

Get in touch with us.



Downloads

Facade planner and much more information and documents

47

Of course also available for you online.



www.tonality.de

Discover our product variety on our website.



Albania | Australia | Austria | Belgium | Bosnia and Herzegovina | Bulgaria | Canada | Croatia | Czech Republic | Denmark | Estonia
Finland | France | Germany | Greece | Hungary | Iran | Ireland | Italy | Kazakhstan | Kosovo | Latvia | Lithuania | Luxembourg | Macedonia
Montenegro | Netherlands | New Zealand | Norway | Poland | Russian Federation | Serbia | Slovakia | Slovenia | South Korea | Spain
Sweden | Switzerland | Turkey | United Kingdom | USA | Vietnam



TONALITY® GmbH

In der Mark 100
D-56414 Weroth

Tel. +49 6435 90999-0
info@tonality.de

www.tonality.de



A company of the
LEIPFINGER-BADER Group

